

EFI Metrix Release Notes

Version 2019.2

Copyright © 2004 - 2019 by Electronics for Imaging, Inc. All Rights Reserved.

EFI Metrix 2019.2 | *EFI Metrix Release Notes*

November 2019 / EFI Metrix 2019.2

Document Version 1

This publication is protected by copyright, and all rights are reserved. No part of it may be reproduced or transmitted in any form or by any means for any purpose without express prior written consent from Electronics for Imaging, Inc. Information in this document is subject to change without notice and does not represent a commitment on the part of Electronics for Imaging, Inc.

Patents

This product may be covered by one or more of the following U.S. Patents: 4,716,978, 4,828,056, 4,917,488, 4,941,038, 5,109,241, 5,170,182, 5,212,546, 5,260,878, 5,276,490, 5,278,599, 5,335,040, 5,343,311, 5,398,107, 5,424,754, 5,442,429, 5,459,560, 5,467,446, 5,506,946, 5,517,334, 5,537,516, 5,543,940, 5,553,200, 5,563,689, 5,565,960, 5,583,623, 5,596,416, 5,615,314, 5,619,624, 5,625,712, 5,640,228, 5,666,436, 5,745,657, 5,760,913, 5,799,232, 5,818,645, 5,835,788, 5,859,711, 5,867,179, 5,940,186, 5,959,867, 5,970,174, 5,982,937, 5,995,724, 6,002,795, 6,025,922, 6,035,103, 6,041,200, 6,065,041, 6,112,665, 6,116,707, 6,122,407, 6,134,018, 6,141,120, 6,166,821, 6,173,286, 6,185,335, 6,201,614, 6,215,562, 6,219,155, 6,219,659, 6,222,641, 6,224,048, 6,225,974, 6,226,419, 6,238,105, 6,239,895, 6,256,108, 6,269,190, 6,271,937, 6,278,901, 6,279,009, 6,289,122, 6,292,270, 6,299,063, 6,310,697, 6,321,133, 6,327,047, 6,327,050, 6,327,052, 6,330,071, 6,330,363, 6,331,899, 6,340,975, 6,341,017, 6,341,018, 6,341,307, 6,347,256, 6,348,978, 6,356,359, 6,366,918, 6,369,895, 6,381,036, 6,400,443, 6,429,949, 6,449,393, 6,476,927, 6,490,696, 6,501,565, 6,519,053, 6,539,323, 6,543,871, 6,546,364, 6,549,294, 6,549,300, 6,550,991, 6,552,815, 6,559,958, 6,572,293, 6,590,676, 6,606,165, 6,633,396, 6,636,326, 6,643,317, 6,647,149, 6,657,741, 6,662,199, 6,678,068, 6,707,563, 6,741,262, 6,748,471, 6,753,845, 6,757,436, 6,757,440, 6,778,700, 6,781,596, 6,816,276, 6,825,943, 6,832,865, 6,836,342, RE33,973, RE36,947, D341,131, D406,117, D416,550, D417,864, D419,185, D426,206, D439,851, D444,793.

Trademarks

The APPS logo, AutoCal, Auto-Count, Balance, Best, the Best logo, BESTColor, BioVu, BioWare, ColorPASS, Colorproof, ColorWise, Command WorkStation, CopyNet, Cretachrom, Cretaprint, the Cretaprint logo, Cretaprinter, Cretaroller, DockNet, Digital StoreFront, DirectSmile, DocBuilder, DocBuilder Pro, DocStream, DSFdesign Studio, Dynamic Wedge, EDOX, EFI, the EFI logo, Electronics For Imaging, Entrac, EPCount, EPPhoto, EPRegister, EPStatus, Estimate, ExpressPay, Fabrivu, Fast-4, Fiery, the Fiery logo, Fiery Driven, the Fiery Driven logo, Fiery JobFlow, Fiery JobMaster, Fiery Link, Fiery Prints, the Fiery Prints logo, Fiery Spark, FreeForm, Hagen, Inktensity, Inkware, Jetrion, the Jetrion logo, LapNet, Logic, MiniNet, Monarch, MicroPress, OneFlow, Pace, PhotoXposure, PressVu, Printcafe, PrinterSite, PrintFlow, PrintMe, the PrintMe logo, PrintSmith, PrintSmith Site, Printstream, Print to Win, Prograph, PSI, PSI Flexo, Radius, Rastek, the Rastek logo, Remoteproof, RIPChips, RIP-While-Print, Screenproof, SendMe, Sincolor, Splash, Spot-On, TrackNet, UltraPress, UltraTex, UltraVu, UV Series 50, VisualCal, VUTEk, the VUTEk logo, and WebTools are trademarks of Electronics For Imaging, Inc. and/or its wholly owned subsidiaries in the U.S. and/or certain other countries.

All other terms and product names may be trademarks or registered trademarks of their respective owners, and are hereby acknowledged.



Table of Contents

Welcome to Metrix 2019.2	4
Contact Information	4
System Requirements	5
New Features	6
Product Enhancements	6
Known Issues for the Metrix 2019.2 Release	6
Key Fixes	6

Welcome to Metrix 2019.2

EFI Metrix is an industry-leading job planning engine that transforms big data into actionable data in the most proven end-to-end integrated solution with a holistic view into manufacturing. With over 1,200 Metrix users in 25 countries and 12 years of continuous, aggressive development, Metrix is recognized as the de facto industry standard for dynamic, intelligent production planning, and automated imposition. Metrix 2019.2 introduces new features and enhancements and addresses issues found in previous releases.

Contact Information

EFI Support

Web Site:	https://customer.efi.com/support
US Phone:	1.855.EFI.4HLP/ (972) 638-7490 (Metrix Support)
UK Phone:	+44 (0) 800.783.2737
EU Phone:	+49.2102.745.4500
E-Mail:	metrix.support@efi.com

Regular Service Desk hours are 8:00 AM to 5:00 PM Eastern Time, Monday–Friday. Metrix Support hours are 9:00 AM to 5:30 PM Pacific Time, Monday–Friday. Outside of these hours, you may leave a voice mail message and an on-call support representative will be paged. Response time is based on the severity of the issue.

Note For problems involving infrastructure (i.e., computers, networks, operating systems, backup software, printers, third-party software, etc.), contact the appropriate vendor. EFI cannot support these types of issues.

EFI Professional Services

US Phone:	(651) 365-5321
US Fax:	(651) 365-5334
E-Mail:	ProfessionalServicesOperations@efi.com

Notes EFI Professional Services can help you perform EFI software installations, upgrades, and updates. This group can also help you implement, customize, and optimize your EFI software plus offer a range of training options.

System Requirements

Please ensure your system is running one of the supported operating systems listed below before beginning the installation process.

Metrix 2019.2 system requirements:

- Metrix 2019.2 requires 64-bit systems. It will **not** run on 32-bit systems.
- Metrix now supports Mac OS X 10.14 (Mojave)

Note For complete information on Metrix system requirements, see the *EFI Metrix 2019.2 Installation Guide*.

Supported Operating Systems for Metrix 2019.2

<i>Windows Operating System</i>	<ul style="list-style-type: none"> • Microsoft Windows 10.x (64-bit) • Microsoft Windows 8.x (64-bit) • Microsoft Windows 7 (64-bit) • Microsoft Windows Server 2016 (64-bit) • Microsoft Windows Server 2012 R2 (64-bit) • Microsoft SQL Server 2014 SP3 and SP4 (64-bit) <p>Note Metrix no longer supports Windows Server 2008.</p>
<i>Macintosh Operating System</i>	<ul style="list-style-type: none"> • OS X 10.14.x (Mojave) • OS X 10.13.x (High Sierra) • OS X 10.12.x (Sierra) • OS X 10.11.x (El Capitan) • OS X 10.10.x (Yosemite) • OS X 10.9.x (Mavericks) <p>Note Metrix no longer supports OS X 10.7 (Lion) or OS X 10.8 (Mountain Lion).</p>

New Features

For detailed information and usage instructions on the new features and enhancements introduced in Metrix 2019.2, see *EFI Metrix 2019.2 What's New* and the *EFI Metrix 2019.2 User Guide*.

- **Produce Exact Quantity** field added to the product properties.
- Grouping added to die-cut, flat, folded, and bound products.
- Nesting of die-cut products that do not require the use of die-cutting tools.
- Ability to calculate and define variable cutoffs for roll-fed media.
- New dialog window for adding die-cutting tools to the database. This window is consistent throughout the entire application.
- Huge sheet support with maximum dimensions of 25 meters.
- Option to disable product information added for two-sided printing methods in reports.
- New fields—**How to Handle Diecut Layouts Without a Standard, Product Group Placement, Enable Block Algorithms**—added to the **Auto Layout** section of the **User Preferences**.
- New **How to handle Page Size Error** field added to the **General** section of the **User Preferences**.
- New **Use Die-Cutting Tool Geometry** field in **Layout** and **Auto Plan** properties.

Product Enhancements

- Support archives now include marks and mark sets.
- Metrix client has improved WAN tolerance.
- Shorter plant load times.
- Shorter loading time for the list of standards in the **Standard Manager**.
- Enhanced performance of the **Open Project** dialog.
- Shorter load and save times for projects.

Known Issues for the Metrix 2019.2 Release

- Shortcut icons are not created on Windows unless logged in as an **Administrator**. (Issue Reference: 10080)
- Mark numbers change to zero when opening the **Layout** drop-down list in the **Properties** pane. (Issue Reference: 10414)
- The **Auto Expand Trims** option does not work with **Auto Layout**. (Issue Reference: 12858)
- **Die Cutting Tool Streams** are not yet fully functional in Metrix 2019.2. Full functionality will be included in an upcoming release.

Key Fixes

- **Metrix will not save the default printer in the Export window.**
When the default printer was changed on a Windows machine, the Metrix printer settings would not update and save the new printer. (Issue Reference: 8441)
 - **Performance issues with big sheet and signature sizes.**
Metrix would dramatically slow down when rendering big signatures on a big sheet. Enhancing the drawing engine fixed the problem. (Issue Reference: 8964)
-

- **Metrix automation creating unusable layouts.**

Metrix's various automation algorithms would sometimes create unusable layouts when too many products were involved. (Issue Reference: 11227)

- **Duplicate standards created from the same layout.**

Under certain circumstances, it was possible to save duplicate standards. (Issue Reference: 11873)

- **Confusing error message in the Status box.**

An error message that read "Product Pages Assigned" would correctly appear in the **Status** box when content was not assigned to the page. The message was confusing for some users because it gave the impression the product had not been assigned to a layout even though it was. The error message was changed to "Content Pages Assigned." (Issue Reference: 11986)

- **Unable to copy and paste marks between projects.**

Metrix would crash when a user tried to copy marks from one project and paste them into another project. Marks can only be copied and pasted within a project, so the functionality to copy and paste between projects was disabled. To share marks between projects, save marks as a Mark Set. (Issue Reference: 12265)

- **Auto Layout algorithm places instances at random.**

The order in which products were laid out on the sheet was sometimes random, rather than grouping multiple component instances together. (Issue Reference: 12332)